

1. To file your appeal with the Pollution Control Hearings Board

Mail appeal to:

The Pollution Control Hearings Board
PO Box 40903
Olympia WA 98504-0903

OR Deliver your appeal in person to:

The Pollution Control Hearings Board
4224 – 6th Ave SE Rowe Six, Bldg 2
Lacey WA 98503

2. To serve your appeal on the Department of Ecology

Mail appeal to:

The Department of Ecology
Appeals Coordinator
P.O. Box 47608
Olympia WA 98504-7608

OR Deliver your appeal in person to:

The Department of Ecology
Appeals Coordinator
300 Desmond Dr SE
Lacey WA 98503


3. And send a copy of your appeal to:

Thomas Loranger
Department of Ecology
Southwest Regional Office
PO Box 47775
Olympia WA 98504-7775

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser> .*

If you have any questions, please contact Charlotte Lattimore at (360) 407-0274 or by email at clat461@ecy.wa.gov.

Sincerely,



Thomas Loranger
Section Manager
Water Resources Program

Enclosures: *Construction Notice*
Your Right to Be Heard

(360) 407-7095

Manual Receipt

Comment Description	WATER RIGHT G2-28055

[illegible]



RECEIVED

MAR 30 2009

Washington State
Department of Ecology

March 27, 2009

Department of Ecology
Water Resources, NW Regional Office
PO Box 47775
Olympia, WA 98504-7775

RE: Minterbrook ID54740B, Pierce County
Request for Extension Ground Water Permit #G2-28055

Washington Water Service Company is requesting an extension of the above referenced permit for a ten year (10) period from March 1, 2009 to March 1, 2019. A check for \$50.00 is enclosed to facilitate this request.

With the current state of the economy and the recent status of the Municipal Law, specifically the decision of Judge Jim Rogers regarding definition of 'municipal water supplier' and 'municipal water supply purposes' and appeals of his decision, we have been watching to see the effect on the water rights and water systems. In addition to these new developments and due to the slowing economy, the demand for new connections has slowed. We have also run into some unexpected issues with the access easement to the well-site for this permit. We will need some additional time to work with property owners, complete the final paper work and have the economy turn allowing growth to occur. Currently there are 235 pending and contingent ERUs for this system.

We anticipate both the delay due to easements and the economic effect to be temporary but feel we cannot give a true estimate as to when these pending ERUs will be activated, however, they have been promised to prospective homeowners.

If you have any questions, please give Mike Ireland a call at (253) 851-4060.

Sincerely,

Candy Chamberlin
Administrative Assistant to the President

4/13/09
OK to extend BC
to March 1, 2014
Charlotte Luther

enc.

cc: Mike Ireland, President, Washington Water Service Company
Engineering Department, Washington Water Service Company



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 12, 2004

Washington Water Service
PO Box 336
Gig Harbor WA 98335-0336

Dear Sir or Madame:

Re: Water Permit No. G2-28055

In compliance with your request, you are hereby granted an extension of time until **March 1, 2009**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

Thomas Loranger
Water Resources Section Manager
Southwest Regional Office

TL:th (ccext.doc)





WASHINGTON WATER SERVICE COMPANY

14519 PEACOCK HILL AVENUE NW • P.O. BOX 336 • GIG HARBOR, WA 98335 • (253) 851-4060

HARBOR DISTRICT

RECEIVED
EST. OF PIERCE COUNTY
04 MAR 11 AM 11:55

February 25, 2004

Department of Ecology
Attn: Jill Walsh
PO Box 47775
Olympia, WA 98504-7775

RE: Ground Water Permit No. G2-28055, Minterbrook, Pierce County

Dear Jill:

Washington Water Service is requesting an extension of the above referenced permit. The well under this permit has not yet been completed and put to full and beneficial use. The water system plan has been submitted to the Washington State Department of Health with a copy to your office. This plan outlines the past and future growth of the Minterbrook water system. This growth projection shows the anticipated growth rate which control placing the water to full and beneficial use.

Enclosed is our check for \$25.00 to cover the extension fee from March 1, 2004 until March 1, 2009.

Sincerely,

Michael P. Ireland
President

Enclosure

cc: Minterbrook file

3/25/04
OK to extend the cc date
to 3/1/09 jw water

W:\Department of Ecology\Southwest\G2-28055_Minterbrook_Extension_02-24-04.doc



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 22, 2001

Washington Water Service Co
PO Box 336
Gig Harbor WA 98335-0336


Dear Sir or Madame:

Re: Water Permit No. G2-28055 for Minterbrook

In compliance with your request, you are hereby granted an extension of time until **March 1, 2004**, in which you must complete construction and file notice of such action under the above referenced number. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Deb Hunemuller at (360) 407-0290.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,




J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (ccext.doc)

S





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

RECEIVED

☒ BEGINNING OF CONSTRUCTION

'01 MAR -8 P12:12

☐ COMPLETION OF CONSTRUCTION

SEATTLE REGIONAL OFFICE

NAME <i>Washington Water Service Co / minterbrook</i>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <i>G2-28055</i>
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED	DATE COMPLETION EXPECTED <i>march-2004</i>

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE <i>0</i>	% MATERIAL IN PLACE <i>0</i>	% EXCAVATED <i>0</i>	% STRUCTURE <i>0</i>
----------------------------------	---------------------------------	-------------------------	-------------------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.

*CC extension fees o.k.
extend CC to 3/1/2004*

*dek
3/15/2001*

Meha [Signature]

Signature of Applicant

P.O. Box 336

Present Address

Gig Harbor, WA 98335

City, State, Zip Code

Receipt Number 01-016551

Department of Ecology (4610)
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095

Current Document Number **461E2533CJ**

Date **03/12/2001**

FM 21

Remitter Name **WASHINGTON WATER SERVICE COMPANY** Receipt Name

Check/Draw Number	36458
Document Amount	\$15.00
Method of Payment	Check
Comment Description	WATER RIGHTS G2-28055

[illegible]



WASHINGTON WATER SERVICE COMPANY

14519 PEACOCK HILL AVENUE NW • P.O. BOX 336 • GIG HARBOR, WA 98335 • (253) 851-4060

HARBOR DISTRICT

RECEIVED

01 MAR -8 PM 2:12

WASHINGTON STATE
S.W. REGIONAL OFFICE

March 6, 2001

Department of Ecology
P.O. Box 47775
Olympia, WA 98504

RE: Ground Water Permit No. G2-28055

Dear Debra Hunemuller:

Washington Water Service is requesting an extension of time on this permit as we just recently received approval of our comprehensive water system plan from Washington State Department of Health (DOH) as soon as source approval is received from DOH we will proceed with construction. We are requesting an extension of three years.

Enclosed is our check to cover the extension fees until March 2004.

Sincerely,

A handwritten signature in blue ink, appearing to read "Michael P. Ireland".

Michael P. Ireland
President



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 1, 2001

WA Water Service Company
PO Box 336
Gig Harbor WA 98335-0336

Dear Sir or Madame:

Re: Water Permit No. G2-28055

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **March 1, 2001**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, your extension request must be made in writing and contain the following:

1. A description of efforts you have made to complete construction on the project since the permit issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the \$5.00 extension fee made payable to the Department of Ecology, (this would bring you current until **March 1, 2002**). Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller
Water Resources Program

DH:th (ccreminder1.doc)
Enclosure



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 29, 2000

Washington Water Service Co
PO Box 336
Gig Harbor WA 98335-0336


Dear Sir or Madame:

Re: Water Permit No. G2-28055

In compliance with your request, you are hereby granted an extension of time until **March 1, 2001**, in which you must complete construction and file notice of such action under permit number G2-28055. If you have any questions or concerns about any of this information, please call the Department of Ecology at (360) 407-0240 or (360) 407-0290.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,



J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (ccext.doc)





WASHINGTON WATER SERVICE COMPANY

14519 PEACOCK HILL AVENUE NW • GIG HARBOR, WA 98332 • (253) 851-4060

HARBOR DISTRICT

RECEIVED
JUN 19 2000

June 15, 2000

Dept of Ecology
P O Box 47775
Olympia, WA 98504

Dear Sir or Madam:

Re: Water Permit # G2-28055

Washington Water Service Company requests an extension of time. We have just received approval our water system plan and need additional time to complete construction.

Enclosed is the \$10.00 extension fee.

Sincerely,

Michael P. Ireland
President

6/26/2000
CC extension fees O.K.
Extend CC to March 1, 2001
to Washington Water Service Co
Jdk

S

[illegible]



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 25, 2000

Harbor Water Company
PO Box 336
Gig Harbor WA 98335-0336

Dear Sir or Madame:

Re: Water Permit No. G2-28055

The above referenced permit is currently in the Beginning of Construction stage of development. This letter is to remind you that the permit development schedule required that construction begin on the water system on or before **March 1, 2000**, and that you notify this office that construction had begun. Please complete the enclosed Notice of Beginning of Construction form and submit it to this office as soon as possible if you have begun construction on the water system.

If you have not begun construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, your extension request must be made in writing and contain the following:

1. A description of efforts you have made to begin construction on the project since the permit issued or the last extension was granted.
2. A time schedule for beginning the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your projects that will assist us in making our decision of whether to grant the extensions.
5. Check or money order for the **\$10.00** (this would bring you current until **March 1, 2001**) extension fee made payable to the Department of Ecology. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Notice of Beginning of Construction forms or the request for an extension with the extension fee within thirty (30) days from the date of this letter. This office should be notified if you no longer intend to develop the project. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller
Water Resources Program

DH:th (bcl.doc)
Enclosure



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 14, 1999

Harbor Water Company
PO Box 336
Gig Harbor WA 98335-0336


Dear Sir or Madame:

Re: Water Permit No. G2-28055

In compliance with your request, you are hereby granted an extension of time until March 1, 2000, in which you must begin construction and file notice of such action under the above permit. If you have any questions or concerns about any of this information, please call the Department of Ecology at (360) 407-0240.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,



J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (bcext.doc)



HARBOR WATER CO., INC

P O Box 336
Gig Harbor, WA 98335
253-851-4060 Fax: 253-857-4001

RECEIVED

'99 DEC 13 AIO :44

DEPARTMENT OF GEOLOGY
S.W. REGIONAL OFFICE

Memorandum

To: Deb Hunemuller
From: Debbie Sanstad
Re: Water Permit No G2-28055
Date: December 9, 1999

The reason we are requesting the extension of time on this permit is that we are waiting for approval of our Dept of Health comprehensive plan once approved we will began construction on this well.

Please call me or Mike Ireland if you have any questions.

Debbie Sanstad

*Fee O.K.
OK to extend BC to March 1, 2000
dkh*

S

RECEIPT

Receipt Number 00-010590

Department of Ecology (4610)
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095

Current Document Number **461E0543CJ**

Date **12/01/1999**

FM 06

Remitter Name HARBOR WATER CO INC

Receipt Name

Check/Draw Number 33260

Document Amount **\$30.00**

Method of Payment **Check**

Comment Description **WATER RIGHTS**

[illegible]



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 26, 1999

Harbor Water Company
PO Box 336
Gig Harbor WA 98335-0336

Dear Sir or Madame:

Re: Water Permit No. G2-28055


The above referenced permit is currently in the Beginning of Construction stage of development. This letter is to remind you that the permit development schedule required that construction begin on the water system on or before March 1, 1997, and that you notify this office that construction had begun. Please complete the enclosed Notice of Beginning of Construction and submit it to this office as soon as possible if you have begun construction on the water system.

If you have not begun construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, your extension request must be made in writing and contain the following:

1. A description of efforts you have made to begin construction on the project since the permit issued or the last extension was granted.
2. A time schedule for beginning the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$30.00** (this would bring you current until March 1, 2000) extension fee made payable to the Department of Ecology for each year of extension you are requesting. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Notice of Beginning of Construction or the request for extension with the extension fee within thirty (30) days from the date of this letter. This office should be notified if you no longer intend to develop the project. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,


Deb Hunemuller
Water Resources Program

DH:th (bc1.doc)
Enclosure





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 27, 1996

Harbor Water Company
PO Box 336
Gig Harbor, Washington 98335-0336

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-28055

In response to your request, a two year extension is being granted to enable you to begin construction of your project covered under the above referenced permit.

This extension is effective from March 1, 1995, through March 1, 1997. Enclosed is a notice for Beginning of Construction form which must be filed by March 1, 1997, or you must contact this office.

Any person may appeal this action within thirty (30) days of receipt of this order, to the Washington Pollution Control Hearings Board, Mail Stop 0903, Lacey, Washington 98503-0903. Concurrently send a copy of the appeal to the Director of the Department of Ecology, Mail Stop 7600, Olympia, Washington 98504-7600. These procedures are consistent with the provisions of Chapter 43.21B RCW and associated rules and regulations.

Sincerely,

A handwritten signature in cursive script, reading "Gale Blomstrom", is written over the typed name.

Gale Blomstrom
Shorelands & Water Resources Supervisor

GB:th
Enclosure

A large, stylized red letter "S" is located on the right side of the page, near the bottom.

HARBOR WATER CO., INC.
P.O. BOX 336
GIG HARBOR, WASHINGTON 98335
(206) 851-4060 (360) 876-6938

RE
96 JAN 31 09:16

STAN
S.W. HARBOR OFFICE

January 30, 1996

Department of Ecology
7272 Cleanwater Ln.
Olympia, WA 98504

Dear Sir or Madam,

Harbor Water Co., Inc. requests an extension of time of the following permints;

G2 28692 1 YEAR
G2 28753 1 YEAR
G2 28601 1 YEAR
G2 27766 1 YEAR
G2 28056 2 YEARS
G2 28055 2 YEARS
G2 28054 2 YEARS
G2 28053 2 YEARS

The Appropriate fees are included.

Sincerely,

Debbie L. Sanstad

Debbie Sanstad
Vice President

Free O.K.
O.K. to extend BC 2 yrs
3/1/95 to 3/1/97

dkh
2/21/96

DEPARTMENT OF ECOLOGY
FPSS/BASS/FISCAL OFFICE/CASHIERING SECTION

DATE: 02/02/96

CASHIERING RECEIPT
PAGE: 1 OF 1

RECEIVED FROM: HARBOR WATER CO., INC.

AMOUNT: \$10.00
DATE: 02/05/96
RECEIPT NO: 96-153416
CHECK/MO NO: 023935

PHONE: (206) 407-7095
P.O. BOX 5128
LACEY, WA 98503-0210

PURPOSE: WATER RIGHT EXTENSION FEE

PERMIT NO:
MANIFEST NO:
CASHIER:

GNIE461

(For low-level surcharge only.)

NAMES:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

FOR ACCOUNTING PURPOSES:
CJ NO: 461D0653

RECEIPT CODING:

INV/CAT CD	ID/APPL NO	TYPE	AMOUNT	TRANS/FUND DISTRIBUTION
	62-28055	GCA	\$10.00	001- -001- - - - - - - - - -02-85-000010

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

May 20, 1993

Harbor Water Company, Inc./ Minterbrook Water System
Po Box 336
Gig Harbor, Washington 98335-0336

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-28055 P

Enclosed is Permit No. G 2-28055 P, together with a form for filing Notice of Beginning of Construction when the work is started. If you cannot start your project by March 1, 1995 you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:lo
Enclosure

S